

Table GHA.2(a)

Operations at St Bernard's Hospital that have needed to be cancelled including reason why in 2011

Reason for cancellation	Cancellations January 2011								Total
	ENT	Gynaecology	Ophthalmology	Orthopaedics	General Surgery/Minor	Oral Surgery	Pain Relief	Plastics	
Medical	-	2	5	6	(2)	1	-	-	14 (2)
Bed availability	-	1	-	-	-	-	-	-	1
Per patient	-	-	4	2	1	-	-	-	7
No show	1	-	-	-	(2)	-	3	-	4 (2)
No longer required	-	-	1	1	-	-	-	-	2
Surgeon sick	-	-	-	-	-	-	-	-	-
Receipt of radiology consumable delayed	-	-	-	-	-	-	-	-	-
Equipment failure	-	-	3	-	-	-	-	-	3
No surgeon due to emergency	-	-	-	-	-	-	-	-	-
Norovirus	-	-	-	-	-	-	-	-	-
Out of theatre time	-	-	-	1	-	-	-	-	1
Orthopaedic equipment break down requiring replacement	-	-	-	-	-	-	-	-	-
Shipping error by company	-	-	-	-	-	-	-	-	-
Total	1	3	13	10	1 (4)	1	3	-	36

Source: Gibraltar Health Authority

Reason for cancellation	Cancellations February 2011								Total
	ENT	Gynaecology	Ophthalmology	Orthopaedics	General Surgery/Minor	Oral Surgery	Pain Relief	Plastics	
Medical	-	1	2	1	(2)	-	1	-	5 (2)
Bed availability	-	-	-	3	8	-	-	-	11
Per patient	1	-	1	1	1	-	1	-	5
No show	-	-	-	-	-	-	3	-	3
No longer required	-	-	-	-	(1)	-	-	-	(1)
Surgeon sick	6	-	-	-	-	-	-	-	6
Receipt of radiology consumable delayed	-	-	-	-	1	-	-	-	1
Equipment failure	-	-	3	-	-	-	-	-	3
No surgeon due to emergency	-	-	-	-	(2)	-	-	-	(2)
Norovirus	-	-	-	4	1	-	-	-	5
Out of theatre time	-	-	-	-	2	-	-	-	2
Orthopaedic equipment break down requiring replacement	-	-	-	-	-	-	-	-	-
Shipping error by company	-	-	-	-	-	-	-	-	-
Total	7	1	6	9	13 (5)	-	5	-	46

Source: Gibraltar Health Authority

Note:

() Minor Ops

Cancellations March 2011									
Reason for cancellation	ENT	Gynaecology	Ophthalmology	Orthopaedics	General Surgery/Minor	Oral Surgery	Pain Relief	Plastics	Total
Medical	-	2	-	2	1	1	-	-	6
Bed availability	-	-	-	2	8	-	-	-	10
Per patient	-	-	-	2	-	-	-	-	2
No show	-	-	-	1	1 (1)	-	2	-	4 (1)
No longer required	-	-	-	-	1 (1)	-	-	-	1 (1)
Surgeon sick	-	-	-	-	-	-	-	-	-
Receipt of radiology consumable delayed	-	-	-	-	-	-	-	-	-
Equipment failure	-	-	-	-	-	-	-	-	-
No surgeon due to emergency	-	-	-	-	-	-	-	-	-
Norovirus	-	-	-	-	-	-	-	-	-
Out of theatre time	-	-	-	-	-	-	-	-	-
Orthopaedic equipment break down requiring replacement	-	-	-	-	-	-	-	-	-
Shipping error by company	-	-	-	-	-	-	-	-	-
Total	-	2	-	7	11 (2)	1	2	-	25

Source: Gibraltar Health Authority

Cancellations April 2011									
Reason for cancellation	ENT	Gynaecology	Ophthalmology	Orthopaedics	General Surgery/Minor	Oral Surgery	Pain Relief	Plastics	Total
Medical	-	1	-	1	-	-	1	-	3
Bed availability	4	2	-	3	7	-	-	-	16
Per patient	-	-	-	-	-	-	1	-	1
No show	-	-	-	-	-	-	1	-	1
No longer required	1	-	-	2	1	-	-	-	4
Surgeon sick	-	-	-	-	3	-	-	-	3
Receipt of radiology consumable delayed	-	-	-	-	-	-	-	-	-
Equipment failure	-	-	-	-	-	-	-	-	-
No surgeon due to emergency	-	-	-	-	-	-	-	-	-
Norovirus	-	-	-	-	-	-	-	-	-
Out of theatre time	-	1	-	-	-	-	-	-	1
Orthopaedic equipment break down requiring replacement	-	-	-	1	-	-	-	-	1
Shipping error by company	-	-	-	-	-	-	-	-	-
Total	5	4	-	7	11	-	3	-	30

Source: Gibraltar Health Authority

Note:

() Minor Ops

Cancellations May 2011										
Reason for cancellation	ENT	Gynaecology	Ophthalmology	Orthopaedics	General Surgery/Minor	Oral Surgery	Pain Relief	Plastics	Total	
Medical	2	-	-	3	1	1	-	-	7	
Bed availability	-	-	-	-	-	-	-	-	-	
Per patient	-	-	-	-	(1)	-	1	-	1 (1)	
No show	-	-	-	-	-	1	4	-	5	
No longer required	-	-	1	-	-	-	-	-	1	
Surgeon sick	-	-	-	2	-	-	-	-	2	
Receipt of radiology consumable delayed	-	-	-	-	-	-	-	-	-	
Equipment failure	-	-	-	-	-	-	-	-	-	
No surgeon due to emergency	-	-	-	-	-	-	-	-	-	
Norovirus	-	-	-	-	-	-	-	-	-	
Out of theatre time	-	-	-	-	-	-	-	-	-	
Orthopaedic equipment break down requiring replacement	-	-	-	-	-	-	-	-	-	
Shipping error by company	-	-	-	-	-	-	-	-	-	
Total	2	-	1	5	1 (1)	2	5	-	17	

Source: Gibraltar Health Authority

Cancellations June 2011										
Reason for cancellation	ENT	Gynaecology	Ophthalmology	Orthopaedics	General Surgery/Minor	Oral Surgery	Pain Relief	Plastics	Total	
Medical	-	-	-	-	-	-	3	-	3	
Bed availability	-	-	-	-	-	-	-	-	-	
Per patient	-	-	-	2	-	1	1	-	4	
No show	-	-	-	2	1	-	2	-	5	
No longer required	1	-	-	-	-	-	-	-	1	
Surgeon sick	-	-	-	-	7	-	-	-	7	
Receipt of radiology consumable delayed	-	-	-	-	-	-	-	-	-	
Equipment failure	-	-	-	-	-	-	-	-	-	
No surgeon due to emergency	-	-	-	-	-	-	-	-	-	
Norovirus	-	-	-	-	-	-	-	-	-	
Out of theatre time	-	-	-	-	-	-	-	-	-	
Orthopaedic equipment break down requiring replacement	-	-	-	-	-	-	-	-	-	
Shipping error by company	-	-	-	-	-	-	-	-	-	
Total	1	-	-	4	8	1	6	-	20	

Source: Gibraltar Health Authority

Note:

() Minor Ops

Cancellations July 2011									
Reason for cancellation	ENT	Gynaecology	Ophthalmology	Orthopaedics	General Surgery/Minor	Oral Surgery	Pain Relief	Plastics	Total
Medical	1	1	-	2	(1)	1	-	-	5 (1)
Bed Availability	2	-	-	1	-	-	-	-	3
Per Patient	-	-	-	1	(1)	-	1	-	2 (1)
No Show	-	-	-	1	(1)	2	-	-	3 (1)
No Longer Required	-	-	-	-	(2)	-	-	-	(2)
Surgeon Sick	-	-	-	-	-	-	-	-	-
Receipt of Radiology Consumable Delayed	-	-	-	-	-	-	-	-	-
Equipment Failure	-	-	-	-	-	-	-	-	-
No Surgeon Due to Emergency	-	-	-	1	(6)	-	-	-	1 (6)
Norovirus	-	-	-	-	-	-	-	-	-
Out of Theatre Time	-	-	-	-	-	-	-	-	-
Orthopaedic Equipment Break Down Requiring Replacement	-	-	-	-	-	-	-	-	-
Shipping error by company	-	-	-	-	-	-	-	-	-
Total	3	1	-	6	(11)	3	1	-	25

Source: Gibraltar Health Authority

Cancellations August 2011									
Reason for cancellation	ENT	Gynaecology	Ophthalmology	Orthopaedics	General Surgery/Minor	Oral Surgery	Pain Relief	Plastics	Total
Medical	2	2	-	1	1 (1)	-	-	1	7 (1)
Bed Availability	-	2	-	3	5	-	-	-	10
Per Patient	-	-	-	1	(1)	-	1	-	2 (1)
No Show	2	-	-	-	-	-	-	-	2
No Longer Required	-	-	-	-	-	-	-	-	-
Surgeon Sick	-	-	-	-	-	-	-	-	-
Receipt of Radiology Consumable Delayed	-	-	-	-	-	-	-	-	-
Equipment Failure	-	-	-	-	-	-	-	-	-
No Surgeon Due to Emergency	-	-	-	-	-	-	-	-	-
Norovirus	-	-	-	-	-	-	-	-	-
Out of Theatre Time	-	-	-	-	-	-	-	-	-
Orthopaedic Equipment Break Down Requiring Replacement	-	-	-	-	-	-	-	-	-
Shipping error by company	-	-	-	-	-	-	-	-	-
Total	4	4	-	5	6 (2)	-	1	1	23

Source: Gibraltar Health Authority

Note:

() Minor Ops

Cancellations September 2011									
Reason for cancellation	ENT	Gynaecology	Ophthalmology	Orthopaedics	General Surgery/Minor	Oral Surgery	Pain Relief	Plastics	Total
Medical	-	-	-	-	1 (1)	-	2	-	3 (1)
Bed Availability	3	6	-	11	11	-	-	-	31
Per Patient	-	-	1	1	2 (1)	-	1	-	5 (1)
No Show	-	-	-	-	(1)	1	1	-	2 (1)
No Longer Required	-	-	-	-	(1)	-	-	-	(1)
Surgeon Sick	-	-	-	-	-	-	-	-	-
Receipt of Radiology Consumable Delayed	-	-	-	-	-	-	-	-	-
Equipment Failure	-	-	-	-	-	-	-	-	-
No Surgeon Due to Emergency	-	-	-	-	(4)	-	-	-	(4)
Norovirus	-	-	-	-	-	-	-	-	-
Out of Theatre Time	-	-	-	-	-	-	-	-	-
Orthopaedic Equipment Break Down Requiring Replacement	-	-	-	-	-	-	-	-	-
Shipping error by company	-	-	-	-	-	-	-	-	-
Total	3	6	1	12	14 (8)	1	4	-	49

Source: Gibraltar Health Authority

Cancellations October 2011									
Reason for cancellation	ENT	Gynaecology	Ophthalmology	Orthopaedics	General Surgery/Minor	Oral Surgery	Pain Relief	Plastics	Total
Medical	-	1	9	1	4	-	1	-	16
Bed Availability	2	-	-	-	-	-	-	-	2
Per Patient	-	-	1	-	-	-	1	-	2
No Show	-	-	-	-	1 (2)	-	2	-	3 (2)
No Longer Required	-	-	1	-	-	-	-	-	1
Surgeon Sick	-	-	-	-	-	-	-	-	-
Receipt of Radiology Consumable Delayed	-	-	-	-	-	-	-	-	-
Equipment Failure	-	-	-	-	-	-	-	-	-
No Surgeon Due to Emergency	-	-	-	-	(3)	-	-	-	(3)
Norovirus	-	-	-	-	-	-	-	-	-
Out of Theatre Time	-	-	-	-	-	-	-	-	-
Orthopaedic Equipment Break Down Requiring Replacement	-	-	-	-	-	-	-	-	-
Shipping error by company	-	-	-	-	-	-	-	-	-
Total	2	1	11	1	5 (5)	-	4	-	29

Source: Gibraltar Health Authority

Note:

() Minor Ops

Cancellations November 2011										
Reason for cancellation	ENT	Gynaecology	Ophthalmology	Orthopaedics	General Surgery/Minor	Oral Surgery	Pain Relief	Plastics	Total	
Medical	1	1	4	4	1	-	1	-	12	
Bed Availability	5	2	-	5	14	-	-	-	26	
Per Patient	1	-	-	-	1	-	-	1	3	
No Show	-	-	1	-	-	-	1	-	2	
No Longer Required	1	2	-	1	-	-	-	-	4	
Surgeon Sick	-	-	-	-	-	-	-	-	-	
Receipt of Radiology Consumable Delayed	-	-	-	-	-	-	-	-	-	
Equipment Failure	-	-	-	-	-	-	-	-	-	
No Surgeon Due to Emergency	-	-	-	-	-	-	-	-	-	
Norovirus	-	-	-	-	-	-	-	-	-	
Out of Theatre Time	-	-	-	-	-	-	-	-	-	
Orthopaedic Equipment Break Down Requiring Replacement	-	-	-	-	-	-	-	-	-	
Shipping error by company	-	-	3	-	-	-	-	-	3	
Total	8	5	8	10	16	-	2	1	50	

Source: Gibraltar Health Authority

Cancellations December 2011										
Reason for cancellation	ENT	Gynaecology	Ophthalmology	Orthopaedics	General Surgery/Minor	Oral Surgery	Pain Relief	Plastics	Total	
Medical	-	-	-	1	1	-	-	-	2	
Bed Availability	1	2	-	1	-	-	-	-	4	
Per Patient	-	-	-	-	-	-	3	-	3	
No Show	1	-	-	-	-	-	1	-	2	
No Longer Required	-	-	-	-	-	-	-	-	-	
Surgeon Sick	-	-	-	-	-	-	-	-	-	
Receipt of Radiology Consumable Delayed	-	-	-	-	-	-	-	-	-	
Equipment Failure	-	-	-	-	-	-	-	-	-	
No Surgeon Due to Emergency	-	-	-	-	-	-	-	-	-	
Norovirus	-	-	-	-	-	-	-	-	-	
Out of Theatre Time	-	-	-	-	-	-	-	-	-	
Orthopaedic Equipment Break Down Requiring Replacement	-	-	-	-	-	-	-	-	-	
Shipping error by company	-	-	-	-	-	-	-	-	-	
Total	2	2	-	2	1	-	4	-	11	

Source: Gibraltar Health Authority

Note:

() Minor Ops