

Table GHA.2(b)

Operations at St Bernard's Hospital that have needed to be cancelled including reason why in 2012

Reason for cancellation	Cancellations December 2012											Total
	ENT	Gynaecology	Ophthalmology	Orthopaedics	General Surgery/Minor	Oral Surgery	Pain Relief	Plastics	Anaes	Cardio		
Medical	-	-	-	2	3	-	-	-	-	-	-	5
Bed Availability	-	-	-	2	1	-	-	-	-	-	-	3
Per Patient	-	1	1	1	1	-	-	-	-	-	-	4
No Show	-	-	1	1	-	1	-	-	-	-	-	3
No Longer Required	-	-	-	-	-	-	-	-	-	-	-	-
Surgeon Sick	-	-	-	-	-	-	-	-	-	-	-	-
Receipt of Radiology Consumable Delayed	-	-	-	-	-	-	-	-	-	-	-	-
Equipment Failure	-	-	-	-	-	-	-	-	-	-	-	-
No Surgeon Due to Emergency	-	-	-	-	-	-	-	-	-	-	-	-
Norovirus	-	-	-	-	-	-	-	-	-	-	-	-
Out of Theatre Time	-	-	-	-	-	-	-	-	-	-	-	-
Orthopaedic Equipment Break Down Requiring Replacement	-	-	-	-	-	-	-	-	-	-	-	-
Shipping error by company	-	-	-	-	-	-	-	-	-	-	-	-
No medical records provided	-	-	-	-	-	-	-	-	-	-	-	-
Due to emergency	-	-	-	-	-	-	-	-	-	-	-	-
Staff shortage	-	-	-	-	-	-	-	-	-	-	-	-
Surgeon bereavement	-	-	-	-	-	-	-	-	-	-	-	-
No anaesthetist	-	-	-	-	-	-	-	-	-	-	-	-
No escort available KGV	-	-	-	-	-	-	-	-	-	-	-	-
Required instrument not available	-	-	-	-	-	-	-	-	-	-	-	-
Consultant attending complaints panel	-	-	-	-	-	-	-	-	-	-	-	-
No surgeon	-	-	-	-	3	-	-	-	-	-	-	3
Total	-	1	2	6	8	1	-	-	-	-	-	18

Updated 21 January 2013

Source: Gibraltar Health Authority

Note:

() Minor Ops

Reason for cancellation	Cancellations November 2012											Total
	ENT	Gynaecology	Ophthalmology	Orthopaedics	General Surgery/Minor	Oral Surgery	Pain Relief	Plastics	Anaes	Cardio		
Medical	1	1	-	1	3	-	2	-	-	-	-	8
Bed Availability	-	-	-	-	-	-	-	-	-	-	-	-
Per Patient	-	-	2	1	1	-	-	-	-	-	-	4
No Show	1	-	2	2	(1)	2	-	-	-	-	-	7(1)
No Longer Required	-	1	-	-	-	-	-	-	-	-	-	1
Surgeon Sick	-	-	-	-	-	-	-	-	-	-	-	-
Receipt of Radiology Consumable Delayed	-	-	-	-	-	-	-	-	-	-	-	-
Equipment Failure	-	-	-	-	-	-	-	-	-	-	-	-
No Surgeon Due to Emergency	-	-	-	-	-	-	-	-	-	-	-	-
Norovirus	-	-	-	-	-	-	-	-	-	-	-	-
Out of Theatre Time	-	-	-	2	-	-	-	-	-	-	-	2
Orthopaedic Equipment Break Down Requiring Replacement	-	-	-	-	-	-	-	-	-	-	-	-
Shipping error by company	-	-	-	-	-	-	-	-	-	-	-	-
No medical records provided	-	-	1	-	-	-	-	-	-	-	-	1
Due to emergency	-	-	-	2	2	-	-	-	-	-	-	4
Staff shortage	-	-	-	-	-	-	-	-	-	-	-	-
Surgeon bereavement	-	-	-	-	-	-	-	-	-	-	-	-
No anaesthetist	-	-	-	-	-	-	-	-	-	-	-	-
No escort available KGV	-	-	-	-	-	-	-	-	-	-	-	-
Required instrument not available	-	-	-	2	-	-	-	-	-	-	-	2
Consultant attending complaints panel	-	-	-	-	-	-	-	-	-	-	-	-
No surgeon	-	-	-	-	3	-	-	-	-	-	-	3
Total	2	2	5	10	9(1)	2	2	-	-	-	-	32(1)

Updated 3 December 2012

Source: Gibraltar Health Authority

Note:

() Minor Ops

Cancellations October 2012											
Reason for cancellation	ENT	Gynaecology	Ophthalmology	Orthopaedics	General Surgery/Minor	Oral Surgery	Pain Relief	Plastics	Anaes	Cardio	Total
Medical	-	-	1	-	1	1	1	-	-	-	4
Bed Availability	-	-	-	-	-	-	-	-	-	-	-
Per Patient	1	1	2	1	1	-	-	-	-	-	6
No Show	-	-	2	-	1(3)	-	-	-	-	-	3(3)
No Longer Required	-	-	1	-	(1)	-	-	-	-	-	1(1)
Surgeon Sick	-	-	-	-	2	-	-	-	-	-	2
Receipt of Radiology Consumable Delayed	-	-	-	-	-	-	-	-	-	-	-
Equipment Failure	-	-	-	-	-	-	-	-	-	-	-
No Surgeon Due to Emergency	-	-	-	-	-	-	-	-	-	-	-
Norovirus	-	-	-	-	-	-	-	-	-	-	-
Out of Theatre Time	-	-	-	-	-	2	-	-	-	-	2
Orthopaedic Equipment Break Down Requiring Replacement	-	-	-	-	-	-	-	-	-	-	-
Shipping error by company	-	-	-	-	-	-	-	-	-	-	-
No medical records provided	-	-	-	-	-	-	-	-	-	-	-
Due to emergency	-	-	-	1	2	-	-	-	-	-	3
Staff shortage	-	-	-	-	-	-	-	-	-	-	-
Surgeon bereavement	-	-	-	-	-	-	-	-	-	-	-
No anaesthetist	-	-	-	-	-	-	-	-	-	-	-
No escort available KGV	-	-	-	-	-	-	-	-	-	-	-
Required instrument not available	-	-	-	-	-	-	-	-	-	-	-
Consultant attending complaints panel	-	-	-	-	-	-	-	-	-	-	-
Total	1	1	6	2	7(4)	3	1	-	-	-	21(4)

Updated 5 November 2012

Source: Gibraltar Health Authority

Note:

() Minor Ops

Cancellations September 2012											
Reason for cancellation	ENT	Gynaecology	Ophthalmology	Orthopaedics	General Surgery/Minor	Oral Surgery	Pain Relief	Plastics	Anaes	Cardio	Total
Medical	-	2	-	2	(1)	-	1	-	-	1	6(1)
Bed Availability	-	-	-	-	-	-	-	-	-	-	-
Per Patient	-	-	-	-	5	-	1	-	-	-	6
No Show	-	-	-	-	1(3)	2	-	-	-	-	3(3)
No Longer Required	-	-	1	1	-	-	-	-	-	-	2
Surgeon Sick	-	-	-	-	-	-	-	-	-	-	-
Receipt of Radiology Consumable Delayed	-	-	-	-	-	-	-	-	-	-	-
Equipment Failure	-	-	-	-	-	-	-	-	-	-	-
No Surgeon Due to Emergency	-	-	-	-	-	-	-	-	-	-	-
Norovirus	-	-	-	-	-	-	-	-	-	-	-
Out of Theatre Time	-	-	-	1	-	-	-	-	1	-	1
Orthopaedic Equipment Break Down Requiring Replacement	-	-	-	-	-	-	-	-	-	-	-
Shipping error by company	-	-	-	-	-	-	-	-	-	-	-
No medical records provided	-	-	-	-	-	-	-	-	-	-	-
Due to emergency	-	-	-	1	1	-	-	-	-	-	2
Staff shortage	-	-	-	-	-	-	-	-	-	-	-
Surgeon bereavement	-	-	-	-	-	-	-	-	-	-	-
No anaesthetist	-	-	-	-	-	-	-	-	-	-	-
No escort available KGV	-	-	-	-	-	-	-	-	-	-	-
Required instrument not available	-	-	-	-	-	-	-	-	-	-	-
Consultant attending complaints panel	-	-	-	3	-	-	-	-	-	-	3
Total	-	2	1	8	7(4)	2	2	-	-	1	23(4)

Updated 15 October 2012

Source: Gibraltar Health Authority

Note:

() Minor Ops

Cancellations August 2012										
Reason for cancellation	ENT	Gynaecology	Ophthalmology	Orthopaedics	General Surgery/Minor	Oral Surgery	Pain Relief	Plastics	Anaes	Total
Medical	2	1	-	1	2 (1)	-	-	-	1	7(1)
Bed Availability	-	-	-	1	4	-	-	-	-	5
Per Patient	-	-	-	2	3 (1)	-	1	-	-	6(1)
No Show	1	-	1	-	1(2)	-	1	-	-	4(2)
No Longer Required	-	1	2	-	-	-	1	1	-	5
Surgeon Sick	-	-	-	-	-	-	-	-	-	-
Receipt of Radiology Consumable Delayed	-	-	-	-	-	-	-	-	-	-
Equipment Failure	-	-	-	-	-	-	-	-	-	-
No Surgeon Due to Emergency	-	-	-	-	-	-	-	-	-	-
Norovirus	-	-	-	-	-	-	-	-	-	-
Out of Theatre Time	-	-	-	1	-	-	-	-	-	1
Orthopaedic Equipment Break Down Requiring Replacement	-	-	-	-	-	-	-	-	-	-
Shipping error by company	-	-	-	-	-	-	-	-	-	-
No medical records provided	-	-	2	-	-	-	-	-	-	2
Due to emergency	-	-	-	-	-	-	-	-	-	-
Staff shortage	-	-	-	-	-	-	-	-	-	-
Surgeon bereavement	-	-	-	-	-	-	-	-	-	-
No anaesthetist	-	-	-	-	-	-	-	-	-	-
No escort available KGV	-	-	-	-	-	-	-	-	-	-
Required instrument not available	-	-	-	-	-	-	-	-	-	-
Total	3	2	5	5	10(4)	-	3	1	1	30(4)

Updated 15 October 2012

Source: Gibraltar Health Authority

Note:

() Minor Ops

Cancellations July 2012										
Reason for cancellation	ENT	Gynaecology	Ophthalmology	Orthopaedics	General Surgery/Minor	Oral Surgery	Pain Relief	Plastics	Total	
Medical	3	1	2	1	(1)	-	-	-	7(1)	
Bed Availability	-	-	-	-	-	-	-	-	-	
Per Patient	1	2	-	1	2(2)	2	-	-	8(2)	
No Show	1	-	-	-	2(3)	-	-	-	3(3)	
No Longer Required	-	-	-	-	(1)	-	-	-	(1)	
Surgeon Sick	-	-	-	-	3	-	-	-	3	
Receipt of Radiology Consumable Delayed	-	-	-	-	-	-	-	-	-	
Equipment Failure	-	-	-	-	-	-	-	-	-	
No Surgeon Due to Emergency	-	-	-	-	-	-	-	-	-	
Norovirus	-	-	-	-	-	-	-	-	-	
Out of Theatre Time	-	-	-	-	-	-	-	-	-	
Orthopaedic Equipment Break Down Requiring Replacement	-	-	-	-	-	-	-	-	-	
Shipping error by company	-	-	-	-	-	-	-	-	-	
No medical records provided	-	-	1	-	-	-	-	-	1	
Due to emergency	-	-	-	3	3	-	-	-	6	
Staff shortage	-	-	-	-	-	-	-	-	-	
Surgeon bereavement	-	-	-	-	-	-	-	-	-	
No anaesthetist	-	3	-	-	-	-	-	-	3	
No escort available KGV	-	-	1	-	-	-	-	-	1	
Required instrument not available	-	-	1	-	-	-	-	-	1	
Total	5	6	5	5	10(7)	2	-	-	40	

Updated 2 August 2012

Source: Gibraltar Health Authority

Note:

() Minor Ops

Cancellations June 2012									
Reason for cancellation	ENT	Gynaecology	Ophthalmology	Orthopaedics	General Surgery/Minor	Oral Surgery	Pain Relief	Plastics	Total
Medical	1	-	-	-	2	-	-	-	3
Bed Availability	-	-	-	-	1	-	-	-	1
Per Patient	1	1	-	-	-	1	-	-	3
No Show	-	-	-	-	3	-	1	-	4
No Longer Required	1	-	-	-	(1)	-	-	-	1(1)
Surgeon Sick	-	-	-	-	-	-	-	-	-
Receipt of Radiology Consumable Delayed	-	-	-	-	-	-	-	-	-
Equipment Failure	-	-	-	-	-	-	-	-	-
No Surgeon Due to Emergency	-	-	-	-	-	-	-	-	-
Norovirus	-	-	-	-	-	-	-	-	-
Out of Theatre Time	-	-	-	2	-	-	-	-	2
Orthopaedic Equipment Break Down Requiring Replacement	-	-	-	-	-	-	-	-	-
Shipping error by company	-	-	-	-	-	-	-	-	-
No medical records provided	-	-	-	-	-	-	-	-	-
Due to emergency	-	-	-	3	3	-	-	-	6
Staff shortage	-	-	-	-	-	-	-	-	-
Surgeon bereavement	-	-	-	-	-	-	-	-	-
Total	3	1	-	5	9 (1)	1	1	-	21

Updated 9 July 2012

Source: Gibraltar Health Authority

Note:

() Minor Ops

Cancellations May 2012									
Reason for cancellation	ENT	Gynaecology	Ophthalmology	Orthopaedics	General Surgery/Minor	Oral Surgery	Pain Relief	Plastics	Total
Medical	-	-	1	1	4	-	-	-	6
Bed Availability	-	-	-	-	-	-	-	-	-
Per Patient	2	-	-	-	1	-	-	-	3
No Show	-	-	-	-	2	2	-	-	4
No Longer Required	-	-	1	-	-	-	-	-	1
Surgeon Sick	-	2	-	-	1	-	-	-	3
Receipt of Radiology Consumable Delayed	-	-	-	-	-	-	-	-	-
Equipment Failure	-	-	-	-	-	-	-	-	-
No Surgeon Due to Emergency	-	-	-	-	-	-	-	-	-
Norovirus	-	-	-	-	-	-	-	-	-
Out of Theatre Time	-	-	-	1	-	-	-	-	1
Orthopaedic Equipment Break Down Requiring Replacement	-	-	-	-	-	-	-	-	-
Shipping error by company	-	-	-	-	-	-	-	-	-
No medical records provided	-	-	-	-	-	-	-	-	-
Due to emergency	-	-	-	-	-	-	-	-	-
Staff shortage	-	-	-	-	-	-	-	-	-
Surgeon bereavement	-	-	-	-	-	-	-	-	-
Total	2	2	2	2	8	2	-	-	18

Updated 2 June 2012

Source: Gibraltar Health Authority

Note:

() Minor Ops

Cancellations April 2012									
Reason for cancellation	ENT	Gynaecology	Ophthalmology	Orthopaedics	General Surgery/Minor	Oral Surgery	Pain Relief	Plastics	Total
Medical	4	1	1	1	2(1)	-	-	-	9 (1)
Bed Availability	-	-	-	-	-	-	-	-	-
Per Patient	-	1	-	-	-	-	-	-	1
No Show	-	-	-	-	(1)	-	-	-	(1)
No Longer Required	-	-	-	1	(1)	-	-	-	1(1)
Surgeon Sick	-	-	-	-	-	-	-	-	-
Receipt of Radiology Consumable Delayed	-	-	-	-	-	-	-	-	-
Equipment Failure	-	-	-	-	-	-	-	-	-
No Surgeon Due to Emergency	-	-	-	-	-	-	-	-	-
Norovirus	-	-	-	-	-	-	-	-	-
Out of Theatre Time	-	-	-	-	-	-	-	-	-
Orthopaedic Equipment Break Down Requiring Replacement	-	-	-	-	-	-	-	-	-
Shipping error by company	-	-	-	-	-	-	-	-	-
No medical records provided	-	-	1	-	-	-	-	-	1
Due to emergency	-	-	-	-	-	-	-	-	-
Staff shortage	-	-	-	-	-	-	-	-	-
Surgeon bereavement	-	-	-	-	-	-	-	-	-
Total	4	2	2	2	2(3)	-	-	-	15

Updated 2 May 2012

Source: Gibraltar Health Authority

Note:
() Minor Ops

Cancellations March 2012									
Reason for cancellation	ENT	Gynaecology	Ophthalmology	Orthopaedics	General Surgery/Minor	Oral Surgery	Pain Relief	Plastics	Total
Medical	1	1	1	2	2(3)	-	1	-	8(3)
Bed Availability	-	-	-	-	1	-	-	-	1
Per Patient	-	-	-	-	3(1)	-	1	-	4(1)
No Show	-	-	-	-	(3)	-	1	-	1(3)
No Longer Required	-	1	3	-	1(1)	-	-	-	5(1)
Surgeon Sick	-	-	-	-	(5)	-	-	-	(5)
Receipt of Radiology Consumable Delayed	-	-	-	-	-	-	-	-	-
Equipment Failure	-	-	-	-	-	-	-	-	-
No Surgeon Due to Emergency	-	-	-	-	-	-	-	-	-
Norovirus	-	-	-	2	-	-	-	-	2
Out of Theatre Time	-	-	-	-	-	-	-	-	-
Orthopaedic Equipment Break Down Requiring Replacement	-	-	-	-	-	-	-	-	-
Shipping error by company	-	-	-	-	-	-	-	-	-
No medical records provided	-	-	-	1	-	-	-	-	1
Due to emergency	-	-	-	-	-	-	-	-	-
Staff shortage	-	-	-	-	-	-	-	-	-
Surgeon bereavement	-	-	-	-	7	-	-	-	7
Total	1	2	4	5	14(13)	-	3	-	42

Updated 2 May 2012

Source: Gibraltar Health Authority

Note:
() Minor Ops

Cancellations February 2012									
Reason for cancellation	ENT	Gynaecology	Ophthalmology	Orthopaedics	General Surgery/Minor	Oral Surgery	Pain Relief	Plastics	Total
Medical	2	-	1	1	2	-	-	-	6
Bed availability	-	1	-	2	9	-	-	-	12
Per patient	-	2	1	2	(1)	-	-	-	6
No show	1	-	-	-	-	-	-	-	1
No longer required	-	-	-	-	-	-	-	-	-
Surgeon sick	-	-	-	-	3(6)	-	-	-	3(6)
Receipt of radiology consumable delayed	-	-	-	-	-	-	-	-	-
Equipment failure	-	-	-	-	-	-	-	-	-
No surgeon due to emergency	-	-	-	-	-	-	-	-	-
Norovirus	-	-	-	-	-	-	-	-	-
Out of theatre time	-	-	-	1	-	-	-	-	1
Orthopaedic equipment break down requiring replacement	-	-	-	-	-	-	-	-	-
Shipping error by company	-	-	-	-	-	-	-	-	-
No medical records provided	-	-	-	-	-	-	-	-	-
Due to emergency	-	-	-	1	-	-	-	-	1
Staff shortage	-	-	6	-	-	-	-	-	6
Total	3	3	8	7	14(7)	-	-	-	42

Updated 1 March 2012

Source: Gibraltar Health Authority

Note:

() Minor Ops

Cancellations January 2012									
Reason for cancellation	ENT	Gynaecology	Ophthalmology	Orthopaedics	General Surgery/Minor	Oral Surgery	Pain Relief	Plastics	Total
Medical	-	-	5	1	-	2	1	-	9
Bed availability	4	3	-	7	12	-	-	-	26
Per patient	1	-	-	-	1	-	-	-	2
No show	-	-	1	-	-	1	1	-	3
No longer required	-	-	-	-	-	-	-	-	-
Surgeon sick	-	-	-	-	-	-	-	-	-
Receipt of radiology consumable delayed	-	-	-	-	-	-	-	-	-
Equipment failure	-	-	-	-	-	-	-	-	-
No surgeon due to emergency	-	-	-	-	-	-	-	-	-
Norovirus	-	-	-	-	-	-	-	-	-
Out of theatre time	-	-	-	-	-	-	-	-	-
Orthopaedic equipment break down requiring replacement	-	-	-	-	-	-	-	-	-
Shipping error by company	-	-	-	-	-	-	-	-	-
No medical records provided	-	-	-	-	1	-	-	-	1
Due to emergency	-	-	-	-	-	-	-	-	-
Staff shortage	-	-	-	-	-	-	-	-	-
Total	5	3	6	8	14	3	2	-	41

Updated 3 February 2012

Source: Gibraltar Health Authority